EXHIBIT B

```
1
       IN THE UNITED STATES DISTRICT COURT
2
        FOR THE EASTERN DISTRICT OF OHIO
                EASTERN DIVISION
5
    IN RE: NATIONAL : MDL NO. 2804
    PRESCRIPTION OPIATE :
6
    LITIGATION
                        : CASE NO.
    THIS DOCUMENT : 1:17-MD-2804
    RELATES TO ALL CASES:
8
                        : Hon. Dan A.
9
                        : Polster
10
             Friday, August 3, 2018
11
12
    HIGHLY CONFIDENTIAL - SUBJECT TO FURTHER
             CONFIDENTIALITY REVIEW
13
14
                 Videotaped deposition of
    CHRISTOPHER ZIMMERMAN, taken pursuant to
    notice, was held at the law offices of
15
    Reed Smith, LLP, Three Logan Square, 1717
    Arch Street, Suite 3100, Philadelphia,
16
    Pennsylvania 19103, beginning at 9:00
17
    a.m., on the above date, before Amanda
    Dee Maslynsky-Miller, a Certified
    Realtime Reporter.
18
19
20
2.1
22
            GOLKOW LITIGATION SERVICES
        877.370.3377 ph 917.591.5672 fax
23
                deps@golkow.com
24
```

	ighly Confidential - Subject to	_	
	Page 178		Page 180
1	controlled substances?	1	Q. And afterwards it says, No
2	MR. NICHOLAS: Object to the	2	problem.
3	form.	3	Let's look at the first one.
4	THE WITNESS: It appears	4	A. Yes.
5	that it lists the different	5	Q. Physical security controls.
6	elements under that section and	6	No problem.
7	states the relating Code of	7	Do you see that?
8	Federal Regulation's section and	8	A. Yes, I see that.
9	how companies may again, I	9	Q. Records and reports of
10	don't know who this was to,	10	registrants. No problem.
11	whether it was internally, to	11	Do you see that?
12	distributors. I'm not sure who	12	A. Yes.
13	the customer was of the	13	Q. Orders for filling for
14	presentation.	14	Schedule I and II controlled substances.
15	But it's just reiterating	15	No problem.
16	items that fall underneath each of	16	Do you see that?
17	the CFR sections.	17	A. Yes.
18	BY MR. PIFKO:	18	Q. Other security controls-make
19	Q. Do you believe or do you	19	a good faith inquiry; report suspicious
20	have an understanding that	20	orders; report significant losses. Gray
21	AmerisourceBergen has a responsibility to	21	area.
22	comply with the CFR sections identified	22	Do you see that?
23	here?	23	A. Yes.
24	MR. NICHOLAS: Object to the	24	Q. Do you have an understanding
	Page 179		Page 181
1	Page 179 form.	1	Page 181 about what it means by "gray area"?
1 2		1 2	about what it means by "gray area"?
	form.	2	about what it means by "gray area"?
2	form. THE WITNESS: These are	3	about what it means by "gray area"? A. I think what they're referring to, under these regulations,
2	form. THE WITNESS: These are sections that we that fall	3	about what it means by "gray area"? A. I think what they're referring to, under these regulations, are say 1301.72, physical security
2 3 4	form. THE WITNESS: These are sections that we that fall under the distributor	3	about what it means by "gray area"? A. I think what they're referring to, under these regulations,
2 3 4 5	form. THE WITNESS: These are sections that we that fall under the distributor requirements, yes.	2 3 4 5	about what it means by "gray area"? A. I think what they're referring to, under these regulations, are say 1301.72, physical security controls, that the DEA has been very
2 3 4 5 6	form. THE WITNESS: These are sections that we that fall under the distributor requirements, yes. BY MR. PIFKO:	2 3 4 5 6	about what it means by "gray area"? A. I think what they're referring to, under these regulations, are say 1301.72, physical security controls, that the DEA has been very specific.
2 3 4 5 6 7	form. THE WITNESS: These are sections that we that fall under the distributor requirements, yes. BY MR. PIFKO: Q. And do you believe that they	2 3 4 5 6	about what it means by "gray area"? A. I think what they're referring to, under these regulations, are say 1301.72, physical security controls, that the DEA has been very specific. So vaults need to have
2 3 4 5 6 7 8	form. THE WITNESS: These are sections that we that fall under the distributor requirements, yes. BY MR. PIFKO: Q. And do you believe that they apply to AmerisourceBergen?	2 3 4 5 6	about what it means by "gray area"? A. I think what they're referring to, under these regulations, are say 1301.72, physical security controls, that the DEA has been very specific. So vaults need to have poured-in-place concrete, 8 inches thick,
2 3 4 5 6 7 8	form. THE WITNESS: These are sections that we that fall under the distributor requirements, yes. BY MR. PIFKO: Q. And do you believe that they apply to AmerisourceBergen? A. Yes.	2 3 4 5 6 7 8	about what it means by "gray area"? A. I think what they're referring to, under these regulations, are say 1301.72, physical security controls, that the DEA has been very specific. So vaults need to have poured-in-place concrete, 8 inches thick, half-inch rebar, 6 inches on center. And cages have to be developed of 10-gauge
2 3 4 5 6 7 8 9	form. THE WITNESS: These are sections that we that fall under the distributor requirements, yes. BY MR. PIFKO: Q. And do you believe that they apply to AmerisourceBergen? A. Yes. Q. Under CFR1301.74 do you	2 3 4 5 6 7 8 9	about what it means by "gray area"? A. I think what they're referring to, under these regulations, are say 1301.72, physical security controls, that the DEA has been very specific. So vaults need to have poured-in-place concrete, 8 inches thick, half-inch rebar, 6 inches on center. And
2 3 4 5 6 7 8 9 10	form. THE WITNESS: These are sections that we that fall under the distributor requirements, yes. BY MR. PIFKO: Q. And do you believe that they apply to AmerisourceBergen? A. Yes. Q. Under CFR1301.74 do you see that at the bottom? A. Yes.	2 3 4 5 6 7 8 9 10	about what it means by "gray area"? A. I think what they're referring to, under these regulations, are say 1301.72, physical security controls, that the DEA has been very specific. So vaults need to have poured-in-place concrete, 8 inches thick, half-inch rebar, 6 inches on center. And cages have to be developed of 10-gauge steel. Openings can't be more than 2.5 inch diameter across. The structure has
2 3 4 5 6 7 8 9 10 11	form. THE WITNESS: These are sections that we that fall under the distributor requirements, yes. BY MR. PIFKO: Q. And do you believe that they apply to AmerisourceBergen? A. Yes. Q. Under CFR1301.74 do you see that at the bottom? A. Yes. Q. It says for all the other	2 3 4 5 6 7 8 9 10 11	about what it means by "gray area"? A. I think what they're referring to, under these regulations, are say 1301.72, physical security controls, that the DEA has been very specific. So vaults need to have poured-in-place concrete, 8 inches thick, half-inch rebar, 6 inches on center. And cages have to be developed of 10-gauge steel. Openings can't be more than 2.5 inch diameter across. The structure has to be built on 6-inch 1-inch posts
2 3 4 5 6 7 8 9 10 11 12 13	form. THE WITNESS: These are sections that we that fall under the distributor requirements, yes. BY MR. PIFKO: Q. And do you believe that they apply to AmerisourceBergen? A. Yes. Q. Under CFR1301.74 do you see that at the bottom? A. Yes. Q. It says for all the other ones above, it says a statement of the	2 3 4 5 6 7 8 9 10 11 12 13	about what it means by "gray area"? A. I think what they're referring to, under these regulations, are say 1301.72, physical security controls, that the DEA has been very specific. So vaults need to have poured-in-place concrete, 8 inches thick, half-inch rebar, 6 inches on center. And cages have to be developed of 10-gauge steel. Openings can't be more than 2.5 inch diameter across. The structure has
2 3 4 5 6 7 8 9 10 11 12 13	form. THE WITNESS: These are sections that we that fall under the distributor requirements, yes. BY MR. PIFKO: Q. And do you believe that they apply to AmerisourceBergen? A. Yes. Q. Under CFR1301.74 do you see that at the bottom? A. Yes. Q. It says for all the other ones above, it says a statement of the regulation with a short summary, and it	2 3 4 5 6 7 8 9 10 11 12 13 14	about what it means by "gray area"? A. I think what they're referring to, under these regulations, are say 1301.72, physical security controls, that the DEA has been very specific. So vaults need to have poured-in-place concrete, 8 inches thick, half-inch rebar, 6 inches on center. And cages have to be developed of 10-gauge steel. Openings can't be more than 2.5 inch diameter across. The structure has to be built on 6-inch 1-inch posts with 6 inches apart. They're very specific.
2 3 4 5 6 7 8 9 10 11 12 13 14 15	form. THE WITNESS: These are sections that we that fall under the distributor requirements, yes. BY MR. PIFKO: Q. And do you believe that they apply to AmerisourceBergen? A. Yes. Q. Under CFR1301.74 do you see that at the bottom? A. Yes. Q. It says for all the other ones above, it says a statement of the regulation with a short summary, and it says, No problem.	2 3 4 5 6 7 8 9 10 11 12 13 14	about what it means by "gray area"? A. I think what they're referring to, under these regulations, are say 1301.72, physical security controls, that the DEA has been very specific. So vaults need to have poured-in-place concrete, 8 inches thick, half-inch rebar, 6 inches on center. And cages have to be developed of 10-gauge steel. Openings can't be more than 2.5 inch diameter across. The structure has to be built on 6-inch 1-inch posts with 6 inches apart. They're very specific. With regards to reports, it
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	form. THE WITNESS: These are sections that we that fall under the distributor requirements, yes. BY MR. PIFKO: Q. And do you believe that they apply to AmerisourceBergen? A. Yes. Q. Under CFR1301.74 do you see that at the bottom? A. Yes. Q. It says for all the other ones above, it says a statement of the regulation with a short summary, and it says, No problem. Do you see that?	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	about what it means by "gray area"? A. I think what they're referring to, under these regulations, are say 1301.72, physical security controls, that the DEA has been very specific. So vaults need to have poured-in-place concrete, 8 inches thick, half-inch rebar, 6 inches on center. And cages have to be developed of 10-gauge steel. Openings can't be more than 2.5 inch diameter across. The structure has to be built on 6-inch 1-inch posts with 6 inches apart. They're very specific. With regards to reports, it explains exactly how often you have to do
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	form. THE WITNESS: These are sections that we that fall under the distributor requirements, yes. BY MR. PIFKO: Q. And do you believe that they apply to AmerisourceBergen? A. Yes. Q. Under CFR1301.74 do you see that at the bottom? A. Yes. Q. It says for all the other ones above, it says a statement of the regulation with a short summary, and it says, No problem. Do you see that? A. I'm sorry, where?	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	about what it means by "gray area"? A. I think what they're referring to, under these regulations, are say 1301.72, physical security controls, that the DEA has been very specific. So vaults need to have poured-in-place concrete, 8 inches thick, half-inch rebar, 6 inches on center. And cages have to be developed of 10-gauge steel. Openings can't be more than 2.5 inch diameter across. The structure has to be built on 6-inch 1-inch posts with 6 inches apart. They're very specific. With regards to reports, it
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	form. THE WITNESS: These are sections that we that fall under the distributor requirements, yes. BY MR. PIFKO: Q. And do you believe that they apply to AmerisourceBergen? A. Yes. Q. Under CFR1301.74 do you see that at the bottom? A. Yes. Q. It says for all the other ones above, it says a statement of the regulation with a short summary, and it says, No problem. Do you see that? A. I'm sorry, where? Q. If you look at each	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	about what it means by "gray area"? A. I think what they're referring to, under these regulations, are say 1301.72, physical security controls, that the DEA has been very specific. So vaults need to have poured-in-place concrete, 8 inches thick, half-inch rebar, 6 inches on center. And cages have to be developed of 10-gauge steel. Openings can't be more than 2.5 inch diameter across. The structure has to be built on 6-inch 1-inch posts with 6 inches apart. They're very specific. With regards to reports, it explains exactly how often you have to do inventories, how to annotate it. It's black-and-white.
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	form. THE WITNESS: These are sections that we that fall under the distributor requirements, yes. BY MR. PIFKO: Q. And do you believe that they apply to AmerisourceBergen? A. Yes. Q. Under CFR1301.74 do you see that at the bottom? A. Yes. Q. It says for all the other ones above, it says a statement of the regulation with a short summary, and it says, No problem. Do you see that? A. I'm sorry, where? Q. If you look at each regulation, it's got a number, a bold	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	about what it means by "gray area"? A. I think what they're referring to, under these regulations, are say 1301.72, physical security controls, that the DEA has been very specific. So vaults need to have poured-in-place concrete, 8 inches thick, half-inch rebar, 6 inches on center. And cages have to be developed of 10-gauge steel. Openings can't be more than 2.5 inch diameter across. The structure has to be built on 6-inch 1-inch posts with 6 inches apart. They're very specific. With regards to reports, it explains exactly how often you have to do inventories, how to annotate it. It's black-and-white. And then also with the
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	form. THE WITNESS: These are sections that we that fall under the distributor requirements, yes. BY MR. PIFKO: Q. And do you believe that they apply to AmerisourceBergen? A. Yes. Q. Under CFR1301.74 do you see that at the bottom? A. Yes. Q. It says for all the other ones above, it says a statement of the regulation with a short summary, and it says, No problem. Do you see that? A. I'm sorry, where? Q. If you look at each regulation, it's got a number, a bold heading, a subject of that, and then it	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	A. I think what they're referring to, under these regulations, are say 1301.72, physical security controls, that the DEA has been very specific. So vaults need to have poured-in-place concrete, 8 inches thick, half-inch rebar, 6 inches on center. And cages have to be developed of 10-gauge steel. Openings can't be more than 2.5 inch diameter across. The structure has to be built on 6-inch 1-inch posts with 6 inches apart. They're very specific. With regards to reports, it explains exactly how often you have to do inventories, how to annotate it. It's black-and-white. And then also with the schedule order 222 forms, it states that
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	form. THE WITNESS: These are sections that we that fall under the distributor requirements, yes. BY MR. PIFKO: Q. And do you believe that they apply to AmerisourceBergen? A. Yes. Q. Under CFR1301.74 do you see that at the bottom? A. Yes. Q. It says for all the other ones above, it says a statement of the regulation with a short summary, and it says, No problem. Do you see that? A. I'm sorry, where? Q. If you look at each regulation, it's got a number, a bold heading, a subject of that, and then it has a brief summary of it.	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	A. I think what they're referring to, under these regulations, are say 1301.72, physical security controls, that the DEA has been very specific. So vaults need to have poured-in-place concrete, 8 inches thick, half-inch rebar, 6 inches on center. And cages have to be developed of 10-gauge steel. Openings can't be more than 2.5 inch diameter across. The structure has to be built on 6-inch 1-inch posts with 6 inches apart. They're very specific. With regards to reports, it explains exactly how often you have to do inventories, how to annotate it. It's black-and-white. And then also with the schedule order 222 forms, it states that you can't complete a line that has any
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	form. THE WITNESS: These are sections that we that fall under the distributor requirements, yes. BY MR. PIFKO: Q. And do you believe that they apply to AmerisourceBergen? A. Yes. Q. Under CFR1301.74 do you see that at the bottom? A. Yes. Q. It says for all the other ones above, it says a statement of the regulation with a short summary, and it says, No problem. Do you see that? A. I'm sorry, where? Q. If you look at each regulation, it's got a number, a bold heading, a subject of that, and then it	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	A. I think what they're referring to, under these regulations, are say 1301.72, physical security controls, that the DEA has been very specific. So vaults need to have poured-in-place concrete, 8 inches thick, half-inch rebar, 6 inches on center. And cages have to be developed of 10-gauge steel. Openings can't be more than 2.5 inch diameter across. The structure has to be built on 6-inch 1-inch posts with 6 inches apart. They're very specific. With regards to reports, it explains exactly how often you have to do inventories, how to annotate it. It's black-and-white. And then also with the schedule order 222 forms, it states that

	ignly Confidential - Subject to		_
	Page 182		Page 184
	reporting suspicious orders, it's very		not relieve the distributor of the
	a gray area, because it's not	2	responsibility to maintain effective
	black-and-white. It doesn't say over	3	controls to prevent diversion.
4	five or less than four. And with	4	Do you see that?
5	significant losses, there's no	5	A. Yes.
	definition. Is it a thousand? Is it	6	Q. Do you have an understanding
7	one? Is it five? Is it 10,000?	7	about what that means?
8	So that's, I believe, I	8	MR. NICHOLAS: Object to the
9	don't want to speak for Steve Mays, but I	9	form.
10	believe that's the inference, is that DEA	10	THE WITNESS: That you can't
11	has been very diligent about laying out	11	just have a system that has
12	responsibilities, black-and-white,	12	that reports suspicious orders and
	8 1 7	13	not have not have effective
14	this one area is they're not very	14	controls in all the other areas we
15	specific at all. It's very open-ended.	15	just mentioned. It doesn't
16	If that makes sense.	16	relieve your responsibility to
17	Q. Let's go to the next page.	17	maintain effective controls.
18	It's got another CFR section	18	BY MR. PIFKO:
19	here well, actually, the one we were	19	Q. Right. So just reporting a
20	just talking about, part of it.	20	suspicious order doesn't discharge your
21	Do you see that?	21	responsibility under The Controlled
22	A. Yes.	22	Substances Fiet, Confect.
23	Q. It says, The registrant	23	A. For recordkeeping, all those
24	shall design and operate a system to	24	other ones we kind of just went through.
-			
	Page 183		Page 185
1	_	1	_
	disclose to the registrant suspicious		They are all grouped under the same
2	disclose to the registrant suspicious orders of controlled substances. The	2	They are all grouped under the same section, effective controls to prevent
3	disclose to the registrant suspicious	3	They are all grouped under the same
3 4	disclose to the registrant suspicious orders of controlled substances. The registrant shall inform field diversion office of the administration in his area	3	They are all grouped under the same section, effective controls to prevent diversion, 1301. All of these are in 1301.
3 4	disclose to the registrant suspicious orders of controlled substances. The registrant shall inform field diversion	2 3 4 5	They are all grouped under the same section, effective controls to prevent diversion, 1301. All of these are in
3 4	disclose to the registrant suspicious orders of controlled substances. The registrant shall inform field diversion office of the administration in his area of suspicious orders when covered by the	2 3 4 5	They are all grouped under the same section, effective controls to prevent diversion, 1301. All of these are in 1301. So just doing one of 1301,
2 3 4 5 6	disclose to the registrant suspicious orders of controlled substances. The registrant shall inform field diversion office of the administration in his area of suspicious orders when covered by the registrant.	2 3 4 5	They are all grouped under the same section, effective controls to prevent diversion, 1301. All of these are in 1301. So just doing one of 1301, 74, doesn't relieve you of all the other
2 3 4 5 6 7	disclose to the registrant suspicious orders of controlled substances. The registrant shall inform field diversion office of the administration in his area of suspicious orders when covered by the registrant. Do you see that?	2 3 4 5 6 7	They are all grouped under the same section, effective controls to prevent diversion, 1301. All of these are in 1301. So just doing one of 1301, 74, doesn't relieve you of all the other items under 1301.71.
2 3 4 5 6 7 8	disclose to the registrant suspicious orders of controlled substances. The registrant shall inform field diversion office of the administration in his area of suspicious orders when covered by the registrant. Do you see that? A. Yes.	2 3 4 5 6 7	They are all grouped under the same section, effective controls to prevent diversion, 1301. All of these are in 1301. So just doing one of 1301, 74, doesn't relieve you of all the other items under 1301.71. Q. The next bullet point says,
2 3 4 5 6 7 8	disclose to the registrant suspicious orders of controlled substances. The registrant shall inform field diversion office of the administration in his area of suspicious orders when covered by the registrant. Do you see that? A. Yes. Q. Do you agree that that's a	2 3 4 5 6 7 8 9	They are all grouped under the same section, effective controls to prevent diversion, 1301. All of these are in 1301. So just doing one of 1301, 74, doesn't relieve you of all the other items under 1301.71. Q. The next bullet point says, DEA cannot/will not tell a distributor if
2 3 4 5 6 7 8 9	disclose to the registrant suspicious orders of controlled substances. The registrant shall inform field diversion office of the administration in his area of suspicious orders when covered by the registrant. Do you see that? A. Yes. Q. Do you agree that that's a regulatory responsibility that	2 3 4 5 6 7 8 9	They are all grouped under the same section, effective controls to prevent diversion, 1301. All of these are in 1301. So just doing one of 1301, 74, doesn't relieve you of all the other items under 1301.71. Q. The next bullet point says, DEA cannot/will not tell a distributor if an order is or is not legitimate; and/or
2 3 4 5 6 7 8 9 10	disclose to the registrant suspicious orders of controlled substances. The registrant shall inform field diversion office of the administration in his area of suspicious orders when covered by the registrant. Do you see that? A. Yes. Q. Do you agree that that's a regulatory responsibility that AmerisourceBergen has?	2 3 4 5 6 7 8 9 10	They are all grouped under the same section, effective controls to prevent diversion, 1301. All of these are in 1301. So just doing one of 1301, 74, doesn't relieve you of all the other items under 1301.71. Q. The next bullet point says, DEA cannot/will not tell a distributor if an order is or is not legitimate; and/or if the distributor should or should not
2 3 4 5 6 7 8 9 10 11	disclose to the registrant suspicious orders of controlled substances. The registrant shall inform field diversion office of the administration in his area of suspicious orders when covered by the registrant. Do you see that? A. Yes. Q. Do you agree that that's a regulatory responsibility that AmerisourceBergen has? MR. NICHOLAS: Object to the	2 3 4 5 6 7 8 9 10 11	They are all grouped under the same section, effective controls to prevent diversion, 1301. All of these are in 1301. So just doing one of 1301, 74, doesn't relieve you of all the other items under 1301.71. Q. The next bullet point says, DEA cannot/will not tell a distributor if an order is or is not legitimate; and/or if the distributor should or should not ship an order.
2 3 4 5 6 7 8 9 10 11 12 13	disclose to the registrant suspicious orders of controlled substances. The registrant shall inform field diversion office of the administration in his area of suspicious orders when covered by the registrant. Do you see that? A. Yes. Q. Do you agree that that's a regulatory responsibility that AmerisourceBergen has? MR. NICHOLAS: Object to the form.	2 3 4 5 6 7 8 9 10 11 12 13	They are all grouped under the same section, effective controls to prevent diversion, 1301. All of these are in 1301. So just doing one of 1301, 74, doesn't relieve you of all the other items under 1301.71. Q. The next bullet point says, DEA cannot/will not tell a distributor if an order is or is not legitimate; and/or if the distributor should or should not ship an order. Do you see that?
2 3 4 5 6 7 8 9 10 11 12 13	disclose to the registrant suspicious orders of controlled substances. The registrant shall inform field diversion office of the administration in his area of suspicious orders when covered by the registrant. Do you see that? A. Yes. Q. Do you agree that that's a regulatory responsibility that AmerisourceBergen has? MR. NICHOLAS: Object to the form. But go ahead.	2 3 4 5 6 7 8 9 10 11 12 13 14	They are all grouped under the same section, effective controls to prevent diversion, 1301. All of these are in 1301. So just doing one of 1301, 74, doesn't relieve you of all the other items under 1301.71. Q. The next bullet point says, DEA cannot/will not tell a distributor if an order is or is not legitimate; and/or if the distributor should or should not ship an order. Do you see that? A. Yes.
2 3 4 5 6 7 8 9 10 11 12 13 14	disclose to the registrant suspicious orders of controlled substances. The registrant shall inform field diversion office of the administration in his area of suspicious orders when covered by the registrant. Do you see that? A. Yes. Q. Do you agree that that's a regulatory responsibility that AmerisourceBergen has? MR. NICHOLAS: Object to the form. But go ahead. THE WITNESS: Yes.	2 3 4 5 6 7 8 9 10 11 12 13 14	They are all grouped under the same section, effective controls to prevent diversion, 1301. All of these are in 1301. So just doing one of 1301, 74, doesn't relieve you of all the other items under 1301.71. Q. The next bullet point says, DEA cannot/will not tell a distributor if an order is or is not legitimate; and/or if the distributor should or should not ship an order. Do you see that? A. Yes. Q. Is that consistent with your
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	disclose to the registrant suspicious orders of controlled substances. The registrant shall inform field diversion office of the administration in his area of suspicious orders when covered by the registrant. Do you see that? A. Yes. Q. Do you agree that that's a regulatory responsibility that AmerisourceBergen has? MR. NICHOLAS: Object to the form. But go ahead. THE WITNESS: Yes. BY MR. PIFKO:	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	They are all grouped under the same section, effective controls to prevent diversion, 1301. All of these are in 1301. So just doing one of 1301, 74, doesn't relieve you of all the other items under 1301.71. Q. The next bullet point says, DEA cannot/will not tell a distributor if an order is or is not legitimate; and/or if the distributor should or should not ship an order. Do you see that? A. Yes. Q. Is that consistent with your understanding of the DEA's position?
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	disclose to the registrant suspicious orders of controlled substances. The registrant shall inform field diversion office of the administration in his area of suspicious orders when covered by the registrant. Do you see that? A. Yes. Q. Do you agree that that's a regulatory responsibility that AmerisourceBergen has? MR. NICHOLAS: Object to the form. But go ahead. THE WITNESS: Yes. BY MR. PIFKO: Q. Let's go to the next page.	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	They are all grouped under the same section, effective controls to prevent diversion, 1301. All of these are in 1301. So just doing one of 1301, 74, doesn't relieve you of all the other items under 1301.71. Q. The next bullet point says, DEA cannot/will not tell a distributor if an order is or is not legitimate; and/or if the distributor should or should not ship an order. Do you see that? A. Yes. Q. Is that consistent with your understanding of the DEA's position? A. Yes. At the time of this
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	disclose to the registrant suspicious orders of controlled substances. The registrant shall inform field diversion office of the administration in his area of suspicious orders when covered by the registrant. Do you see that? A. Yes. Q. Do you agree that that's a regulatory responsibility that AmerisourceBergen has? MR. NICHOLAS: Object to the form. But go ahead. THE WITNESS: Yes. BY MR. PIFKO: Q. Let's go to the next page. Are we there?	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	They are all grouped under the same section, effective controls to prevent diversion, 1301. All of these are in 1301. So just doing one of 1301, 74, doesn't relieve you of all the other items under 1301.71. Q. The next bullet point says, DEA cannot/will not tell a distributor if an order is or is not legitimate; and/or if the distributor should or should not ship an order. Do you see that? A. Yes. Q. Is that consistent with your understanding of the DEA's position? A. Yes. At the time of this presentation, yes.
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	disclose to the registrant suspicious orders of controlled substances. The registrant shall inform field diversion office of the administration in his area of suspicious orders when covered by the registrant. Do you see that? A. Yes. Q. Do you agree that that's a regulatory responsibility that AmerisourceBergen has? MR. NICHOLAS: Object to the form. But go ahead. THE WITNESS: Yes. BY MR. PIFKO: Q. Let's go to the next page. Are we there? A. Yes.	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	They are all grouped under the same section, effective controls to prevent diversion, 1301. All of these are in 1301. So just doing one of 1301, 74, doesn't relieve you of all the other items under 1301.71. Q. The next bullet point says, DEA cannot/will not tell a distributor if an order is or is not legitimate; and/or if the distributor should or should not ship an order. Do you see that? A. Yes. Q. Is that consistent with your understanding of the DEA's position? A. Yes. At the time of this presentation, yes. Q. Then it says, Distributor
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	disclose to the registrant suspicious orders of controlled substances. The registrant shall inform field diversion office of the administration in his area of suspicious orders when covered by the registrant. Do you see that? A. Yes. Q. Do you agree that that's a regulatory responsibility that AmerisourceBergen has? MR. NICHOLAS: Object to the form. But go ahead. THE WITNESS: Yes. BY MR. PIFKO: Q. Let's go to the next page. Are we there? A. Yes. Q. Okay. Again, it says,	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	They are all grouped under the same section, effective controls to prevent diversion, 1301. All of these are in 1301. So just doing one of 1301, 74, doesn't relieve you of all the other items under 1301.71. Q. The next bullet point says, DEA cannot/will not tell a distributor if an order is or is not legitimate; and/or if the distributor should or should not ship an order. Do you see that? A. Yes. Q. Is that consistent with your understanding of the DEA's position? A. Yes. At the time of this presentation, yes. Q. Then it says, Distributor must make a business decision whether or
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	disclose to the registrant suspicious orders of controlled substances. The registrant shall inform field diversion office of the administration in his area of suspicious orders when covered by the registrant. Do you see that? A. Yes. Q. Do you agree that that's a regulatory responsibility that AmerisourceBergen has? MR. NICHOLAS: Object to the form. But go ahead. THE WITNESS: Yes. BY MR. PIFKO: Q. Let's go to the next page. Are we there? A. Yes. Q. Okay. Again, it says, Regulatory responsibility. It's got	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	They are all grouped under the same section, effective controls to prevent diversion, 1301. All of these are in 1301. So just doing one of 1301, 74, doesn't relieve you of all the other items under 1301.71. Q. The next bullet point says, DEA cannot/will not tell a distributor if an order is or is not legitimate; and/or if the distributor should or should not ship an order. Do you see that? A. Yes. Q. Is that consistent with your understanding of the DEA's position? A. Yes. At the time of this presentation, yes. Q. Then it says, Distributor must make a business decision whether or not to ship the order.
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	disclose to the registrant suspicious orders of controlled substances. The registrant shall inform field diversion office of the administration in his area of suspicious orders when covered by the registrant. Do you see that? A. Yes. Q. Do you agree that that's a regulatory responsibility that AmerisourceBergen has? MR. NICHOLAS: Object to the form. But go ahead. THE WITNESS: Yes. BY MR. PIFKO: Q. Let's go to the next page. Are we there? A. Yes. Q. Okay. Again, it says, Regulatory responsibility. It's got three bullet points.	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	They are all grouped under the same section, effective controls to prevent diversion, 1301. All of these are in 1301. So just doing one of 1301, 74, doesn't relieve you of all the other items under 1301.71. Q. The next bullet point says, DEA cannot/will not tell a distributor if an order is or is not legitimate; and/or if the distributor should or should not ship an order. Do you see that? A. Yes. Q. Is that consistent with your understanding of the DEA's position? A. Yes. At the time of this presentation, yes. Q. Then it says, Distributor must make a business decision whether or not to ship the order. Do you see that?